persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546
rapid cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
recurrence of cerebral arteriovenous malformations in children, 324
surgical management of unruptured dural arteriovenous fistula of anterior cranial fossa: natural history for 7 years, 72
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
Angiotensin-converting enzyme (ACE)
ACE II genotype is risk factor for aneurysmal SAH, 283
and angiotensin II in ischemic stroke, 292
Animal models
changes in cell proliferation in Sprague-Dawley rats after stroke, 190
clearing Alzheimer's plaques and tangles, 481
experimental microaneurysms in rats
cotton wrapping vs. microbipolar coagulation, 413
model for induction, 406
human umbilical cord blood cells systemic distribution after lateral ventricle transplantation in mouse model of ALS, 189
new epineural nerve repair technique with external metallic circle, 3878
Anterior communicating artery aneurysm in sella turcica, 69
Antifungal therapy, diagnosis and management of *Candida* vertebral osteomyelitis: short course therapy of amphotericin B lipid complex, 234
Antimicrobial therapy, therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Anxiety, before and after surgical repair in patients with asymptomatic unruptured intracranial aneurysm, 28
Apoptosis, vascularity, and proliferation in primary central nervous system lymphomas, 393
Arachnoid malformation, surgical treatment of syringomyelia associated with idiopathic arachnoid malformation disclosed by preoperative MRI, 552
Arteriovenous fistula
obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using cranio-orbito zygomatic approach, 463
rapid cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
surgical management of unruptured dural arteriovenous fistula of anterior cranial fossa: natural history for 7 years, 72
Arteriovenous malformations
cerebral, recurrence in children, 324
of scalp, 253
Atherosclerosis
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
medullary streaks in a patient with atherosclerotic internal carotic artery occlusion, 42
Atlantoaxial instability, biomechanical models to guide the surgical approach in, 3

B

Basilar artery
intravenous abciximab for parent vessel thrombus during basilar apex aneurysm coil embolization, 304
posttraumatic vasospasm, 201
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
Biomaterials
cranioplasty with individual carbon fibre reinforced polymere implants produced by means of stereolithography, 510
new bone replacement materials for spinal fusion, 4
ruptured de novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate, 346
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Blood transfusion, cytological and bacteriological studies of intraoperative autologous blood in neurosurgery, 195
Bone
bone replacement materials for spinal fusion, 4
diagnosis and management of *Candida* vertebral osteomyelitis: short course therapy of amphotericin B lipid complex, 234
Bone marrow transplantation, fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
BOOK REVIEWS
Brain Edema XII, 474
Functional Neuroanatomy: An Interactive Text and Manual, 374
Lumbar Interbody Fusion Techniques: Cages Dowels and Grafts, 474
Management of Cerebral Aneurysms, 473
Manual of Basic Neuropathology (Fourth Edition), 280
Modern Anterior Scoliosis Surgery, 474
Motor Neuron Disorders, 88
Textbook of Neurointensive Care, 475
Brain swelling, early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
Brain tumors
cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80
conventional posterior fossa approach for surgery on petroclival meningiomas, 332
expanding role of neurosurgeons in management of brain metastases, 32
intracranial metastasis of hepatocellular carcinoma, 172
surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy, 60
survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
three-dimensional anisotropy contrast imaging of gliomatosis cerebri, 151
Brown-Séquard syndrome
idiopathic spinal cord herniation: new theory of pathogenesis, 161
spontaneous cervical epidural hematoma, 156

C
Candida vertebral osteomyelitis, diagnosis and management: short course therapy of amphotericin B lipid complex, 234
Carbon fibre reinforced polymere cranial implants produced by means of stereolithography, 510
Caregivers
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
Carotid arteries
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging, 319
medullary streaks in a patient with atherosclerotic internal carotic artery occlusion, 42
Cell Saver System, cytological and bacteriological studies of intraoperative autologous blood in neurosurgery, 195
Cerebello-pontine angle tumors
attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma, 238
lymphoma with perineural extension into the middle fossa, 80
Cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 312
Cerebral infarction, early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
Cerebral varix developing sudden deterioration of neurological status because of thrombosis, 76
Cerebrospinal fluid
possible harmful effects on central nervous system cells in the use of physiological saline as an irrigant during neurosurgical procedures, 96
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Cervical spine
biomechanical models to guide the selection of surgical approach to the spondylotic cervical spine, 3
biomechanical models to guide the surgical approach in atlantoaxial instability, 3
clinical outcomes following cervical laminoplasty for cervical spondylotic myelopathy, 487
multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy, 506
spinal canal size in ossification of posterior longitudinal ligament of cervical spine, 286
spontaneous cervical epidural hematoma, 156
successful management of posttraumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
treatment of multilevel cervical fusion with cages, 378
Chemotherapy, survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
Cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
Coil embolization
intravenous abciximab for parent vessel thrombus during basilar apex aneurysm coil embolization, 304
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
Complications
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
rapid cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
Computed tomography (CT)
cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
intracranial metastasis of hepatocellular carcinoma, 172
isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis, 76
lipomas of pineal region, 52
percutaneous CT-guided chemical thoracic sympathectomy for palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy, 60
transethmoidal approach to optic canal, 268
Computers
neurosurgical education and computer simulation, 480
virtual subdural grid to increase accuracy of epilepsy surgery, 480
Cost-benefit analysis, of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
Cranial nerves, facial nerve schwannomas, 245
Craniectomy, early external decompressive craniectomy with duroplasty improves functional

recovery in patients with massive hemispheric embolic infarction, 420
Cranio-orbito zygomatic approach, obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using, 463
Cranioplasty with individual carbon fibre reinforced polymere implants produced by means of stereolithography, 510
CT angiography, persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546
CT myelography, idiopathic spinal cord herniation: new theory of pathogenesis, 161

D
Decompression
early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
trigeminal neuralgia: important factors for good operative outcomes with microvascular decompression, 400
Deep brain stimulation, location of the active contact within the subthalamic nucleus in the treatment of idiopathic Parkinson's disease, 216
Dural based tumors, aggressive recurrent, venous sinus resection for, 522

E
Editorials
Down with "health plans"!, 369
The era of credit card medicine, 371
In this issue, 1, 89, 187, 281, 375, 477
Is there a common conscience of humanity? Should there be one?, 5
ISUIA-II: the need to share more data, 95
The lives we touch, 285
Looking back 10 years and then looking forward, 570
Opting out of Medicare, 180
Seven challenges for neurosurgeons and physicians in the next decade, 192
the Spine Task Force of neurosurgery, 482
The unruptured intracranial aneurysm study-II: a critique of the second study, 91
"We don't do neuro" or why the cost accounting of healthcare is wrong, 86
Why medicine, physicians and neuroscience ventures fail, 468
Elderly patients, survival trends in patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
Electromyography, neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
Endoscopy
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
minimally invasive transnasal surgery, 376
percutaneous CT-guided chemical thoracic sympathectomy for palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
robot assisted third ventriculostomy, 376
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Epidemiology
ISUIA-II: the need to share more data, 95–ed
the unruptured intracranial aneurysm study-II: a critique of the second study, 91–ed
Epidural amyloidoma, multiple myeloma-associated, of C2-C3 without bony connection or myelopathy, 506
Epidural hematoma, spontaneous cervical, 156
Epilepsy, virtual subdural grid to increase accuracy of surgery for, 480
Epineural nerve repair technique with external metallic circle, 3878
Ethyl 2-cyanoacrylate, ruptured de novo thrombotic giant aneurysm induced by, 346

F
Facial nerve schwannomas, 245
Falcotentorial plasmacytoma, 178
Fracture
compound depressed skull fractures involving a venous sinus, 121
percutaneous vertebroplasty for thoracolumbar spine bursting fracture, 494

G
Gamma knife
attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
expanding role of neurosurgeons in management of brain metastases, 32
radiosurgery for trigeminal schwannomas, 435
survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
Genetics, ACE II genotype is risk factor for aneurysmal SAH, 283
Glioblastoma multiforme, survival trends in elderly patients: resective surgery, radiation, and chemotherapy, 207
Gliomatosis cerebri, three-dimensional anisotropy contrast imaging of, 151
Granulomatous disease
solitary Langerhans-cell histiocytosis of clivus and sphenoid sinus with parasellar and petrous extensions, 447
spontaneous regression of Langerhans cell histiocytosis, 136

H
Head trauma
compound depressed skull fractures involving a venous sinus, 121
posttraumatic basilar artery vasospasm, 201
transcranial Doppler sonography pulsatility index reflects intracranial pressure, 45
Health care costs
cost-benefit analysis of integrated approach to reduce psychosocial trauma following

neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
down with "health plans"!, 369–ed
the era of credit card medicine, 371–ed
socialized medical care in Cuba
part I: a poor state of health, 183
part II: "doctor diplomacy," sex tourism, and medical apartheid, 275
"We don't do neuro" or why the cost accounting of healthcare is wrong, 86
Hemangioblastoma, attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
Hemangiopericytoma, venous sinus resection for recurrent aggressive dural based tumors, 522
Hematoma
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
spontaneous cervical epidural hematoma, 156
Hemodialysis, management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 538
Hemorrhage
ACE II genotype is risk factor for aneurysmal SAH, 283
angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 115
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging, 319
management of poor-grade patients with aneurysmal subarachnoid hemorrhage in acute stage, 531
Hepatocellular carcinoma, intracranial metastasis of, 172
Histopathology
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
apoptosis, vascularity, and proliferation in primary central nervous system lymphomas, 393
arteriovenous malformation of scalp, 253
attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80
clearing Alzheimer's plaques and tangles, 481
facial nerve schwannomas, 245
falcotentorial plasmacytoma, 178
inflammatory pseudotumor of pituitary, 264
intracranial metastasis of hepatocellular carcinoma, 172
management of patients with schwannomatosis, 353
ruptured de novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate, 346
solitary Langerhans-cell histiocytosis of clivus and sphenoid sinus with parasellar and petrous extensions, 447
spontaneous regression of Langerhans cell histiocytosis, 136
three-dimensional anisotropy contrast imaging of gliomatosis cerebri, 151
Humanitarian values, is there a common conscience of humanity? Should there be one?, 5–ed
Hydrocephalus
cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 312
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
robot assisted third ventriculostomy, 376
therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Hyperhidrosis, palmar, percutaneous CT-guided chemical thoracic sympathectomy after transthoracic endoscopic sympathectomy for, 501
Hypoglossal canal, persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546

I

Image guidance for aneurysm surgery, 376
Infection
cytological and bacteriological studies of intraoperative autologous blood in neurosurgery, 195
diagnosis and management of *Candida* vertebral osteomyelitis: short course therapy of amphotericin B lipid complex, 234
massive intracerebral air embolism associated with meningitis and lumbar spondylitis, 362
therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Internal carotid artery occlusion, atherosclerotic, medullary streaks in a patient with, 42
Intracerebral hemorrhage, after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging, 319
Intracranial pressure
angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 115

transcranial Doppler sonography pulsatility index reflects intracranial pressure, 45
Irrigation, possible harmful effects on central nervous system cells in the use of physiological saline as an irrigant during neurosurgical procedures, 96
Ischemia
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging, 319

L
Langerhans cell histiocytosis
of clivus and sphenoid sinus with parasellar and petrous extensions, 447
spontaneous regression of, 136
Linear accelerator thalamotomy, 106
Lipomas, pineal region, 52
Lumbar puncture, rapid cognitive decline after, in patient with dural arteriovenous fistula, 341
Lumbar spondylitis, massive intracerebral air embolism associated with meningitis and, 362
Lymphoma
apoptosis, vascularity, and proliferation in primary central nervous system lymphomas, 393
cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80

M
Magnetic resonance angiography
image guidance for aneurysm surgery, 376
management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 538
Magnetic resonance imaging (MRI)
anterior communicating artery aneurysm in sella turcica, 69
arteriovenous malformation of scalp, 253
attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80
chronic subdural hematoma as complication of endoscopic third ventriculostomy, 64
conventional posterior fossa approach for surgery on petroclival meningiomas, 332
facial nerve schwannomas, 245
falcotentorial plasmacytoma, 178
gamma knife radiosurgery for trigeminal schwannomas, 435
idiopathic spinal cord herniation: new theory of pathogenesis, 161
isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis, 76
linear accelerator thalamotomy, 106
lipomas of pineal region, 52
medullary streaks in a patient with atherosclerotic internal carotic artery occlusion, 42
multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy, 506
neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using cranio-orbito zygomatic approach, 463
rapid cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
ruptured de novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate, 346
solitary Langerhans-cell histiocytosis of clivus and sphenoid sinus with parasellar and petrous extensions, 447
spontaneous cervical epidural hematoma, 156
spontaneous regression of Langerhans cell histiocytosis, 136
successful management of posttraumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
surgical treatment of syringomyelia associated with idiopathic arachnoid malformation disclosed by preoperative MRI, 552
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
venous sinus resection for recurrent aggressive dural based tumors, 522
Medical education, neurosurgical education and computer simulation, 480
Medicare, opting out, 180–ed
Meningioma
conventional posterior fossa approach for surgery on petroclival meningiomas, 332
surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy, 60
venous sinus resection for recurrent aggressive dural based tumors, 522
Meningitis, massive intracerebral air embolism associated with lumbar spondylitis and, 362
Metastasis
expanding role of neurosurgeons in management of brain metastases, 32
intracranial metastasis of hepatocellular carcinoma, 172
Microvascular decompression for trigeminal neuralgia, important factors for good operative outcomes, 400
Middle cerebral artery
direct anastomosis for treatment of moyamoya disease, 366
stenting for symptomatic stenosis of, 283
Minimally invasive surgery
robot assisted third ventriculostomy, 376
transnasal, 376
Monitoring
management of poor-grade patients with aneurysmal subarachnoid hemorrhage in acute stage, 531
neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142

Moyamoya disease, direct anastomosis for treatment of, 366
Multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy, 506
Myelopathy, clinical outcomes following cervical laminoplasty for cervical spondylotic myelopathy, 487

N
Near infrared spectroscopy, cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by, 312
Neoplasms
  apoptosis, vascularity, and proliferation in primary central nervous system lymphomas, 393
  attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
  cerebello-pontine angle lymphoma with perineural extension into the middle fossa, 80
  conventional posterior fossa approach for surgery on petroclival meningiomas, 332
  expanding role of neurosurgeons in management of brain metastases, 32
  facial nerve schwannomas, 245
  falcotentorial plasmacytoma, 178
  gamma knife radiosurgery for trigeminal schwannomas, 435
  inflammatory pseudotumor of pituitary, 264
  intracranial metastasis of hepatocellular carcinoma, 172
  lipomas of pineal region, 52
  management of patients with schwannomatosis, 353
  multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy, 506
  solitary Langerhans-cell histiocytosis of clivus and sphenoid sinus with parasellar and petrous extensions, 447
  surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy, 60
  survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
  three-dimensional anisotropy contrast imaging of gliomatosis cerebri, 151
  venous sinus resection for recurrent aggressive dural based tumors, 522
Nerve injury
  nerve guidance channels orient and guide axon growth after spinal cord injury, 190
  new epineural nerve repair technique with external metallic circle, 3878
Neurofibromatosis, management of patients with schwannomatosis, 353
Neurosurgery
  the lives we touch, 285–ed
  neurosurgical education and computer simulation, 480
  opting out of Medicare, 180–ed
  seven challenges for neurosurgeons and physicians in the next decade, 192–ed
  "we don't do neuro" or why the cost accounting of healthcare is wrong, 86–ed
  why medicine, physicians and neuroscience ventures fail, 468–ed
Neurosurgical Society of America, abstracts from 57th Annual Meeting, 556

O
Operative approaches
  biomechanical models to guide the selection of surgical approach to the spondylotic cervical spine, 3
  biomechanical models to guide the surgical approach in atlantoaxial instability, 3
  conventional posterior fossa approach for surgery on petroclival meningiomas, 332
  obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using cranio-orbito zygomatic approach, 463
  transethmoidal approach to optic canal, 268
Optic canal, transethmoidal approach to, 268
Ossification of posterior longitudinal ligament of cervical spine, spinal canal size in, 286
Osteomyelitis, diagnosis and management of *Candida* vertebral osteomyelitis: short course therapy of amphotericin B lipid complex, 234
Outcome
  angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 115
  clinical outcomes following cervical laminoplasty for cervical spondylotic myelopathy, 487
  comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
  early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
  facial nerve schwannomas, 245
  survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
  trigeminal neuralgia: important factors for good operative outcomes with microvascular decompression, 400
Oxygenation of cerebral blood after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 312

P
Pain management, linear accelerator thalamotomy, 106
Palmar hyperhidrosis, percutaneous CT-guided chemical thoracic sympathectomy after transthoracic endoscopic sympathectomy for, 501
Parkinson's disease, idiopathic, location of the active contact within the subthalamic nucleus in treatment of, 216
Pediatric patients
  direct anastomosis for treatment of moyamoya disease, 366

recurrence of cerebral arteriovenous malformations in, 324
therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Percutaneous CT-guided chemical thoracic sympathectomy for palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
Percutaneous vertebroplasty for thoracolumbar spine bursting fracture, 494
Persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546
Physiological saline used as irrigant during neurosurgical procedures, possible harmful effects on central nervous system cells, 96
Pineal region lipomas, 52
Pituitary tumors
inflammatory pseudotumor, 264
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Plasmacytoma, falcotentorial, 178
Polycystic kidney disease, management of unruptured cerebral aneurysms in patients with, 538
Positron emission tomography, medullary streaks in a patient with atherosclerotic internal carotic artery occlusion, 42
Posterior fossa approach for surgery on petroclival meningiomas, 332
Posterior longitudinal ligament of cervical spine, spinal canal size in ossification of, 286
Pregnancy, surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy, 60
Pseudotumor, pituitary inflammatory, 264
Psychosocial factors
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17

R

Radiation therapy, survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
Radiosurgery
attenuation of vascularity by preoperative radiosurgery facilitates total removal of hypervascular hemangioblastoma at cerebello-pontine angle, 238
expanding role of neurosurgeons in management of brain metastases, 32
linear accelerator thalamotomy, 106
survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
for trigeminal schwannomas, 435
Readers' comments, 186, 278, 372, 470, 572
Renal failure, management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 538
Research news and notes
ACE II genotype is risk factor for aneurysmal SAH, 283
biomechanical models to guide the selection of surgical approach to the spondylotic cervical spine, 3
biomechanical models to guide the surgical approach in atlantoaxial instability, 3
changes in cell proliferation in Sprague-Dawley rats after stroke, 190
clearing Alzheimer's plaques and tangles, 481
combination therapy: Schwann cells and cAMP for spinal cord recovery after injury, 284
Eleventh Annual Conference of the American Society for Neural Transplantation and Repair, 189
from the laboratory to the clinic: Presidential lecture, 189
human umbilical cord blood cells systemic distribution after lateral ventricle transplantation in mouse model of ALS, 189
image guidance for aneurysm surgery, 377
minimally invasive endoscopic procedures: robot assisted third ventriculostomy, 376
minimally invasive transnasal surgery, 376
nerve guidance channels orient and guide axon growth after spinal cord injury, 190
neurosurgical education and computer simulation, 480
new bone replacement materials for spinal fusion, 4
stenting for symptomatic middle cerebral artery stenosis, 283
virtual subdural grid: method to increase accuracy of epilepsy surgery, 480
why do we sleep?, 376
Residency training, neurosurgical education and computer simulation, 480
Robot assisted third ventriculostomy, 376

S

Scalp, arteriovenous malformation of, 253
Schwann cells and cAMP for spinal cord recovery after injury, 284
Schwannomas
facial nerve, 245
management of patients with schwannomatosis, 353
trigeminal, gamma knife radiosurgery for, 435
Seizures, virtual subdural grid to increase accuracy of surgery for, 480
Sella turcica
anterior communicating artery aneurysm in, 69
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Shunt infections, therapeutic vancomycin monitoring in children with hydrocephalus during treatment of, 142
Skull
compound depressed skull fractures involving a venous sinus, 121

cranioplasty with individual carbon fibre reinforced polymere implants produced by means of stereolithography, 510
early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
Skull base
conventional posterior fossa approach for surgery on petroclival meningiomas, 332
minimally invasive transnasal surgery, 376
solitary Langerhans-cell histiocytosis of clivus and sphenoid sinus with parasellar and petrous extensions, 447
Sleep, 376
Socialized medical care in Cuba
part I: a poor state of health, 183
part II: "doctor diplomacy," sex tourism, and medical apartheid, 275
Spinal canal size in ossification of posterior longitudinal ligament of cervical spine, 286
Spinal cord
combination therapy: Schwann cells and cAMP for spinal cord recovery after injury, 284
idiopathic spinal cord herniation: new theory of pathogenesis, 161
nerve guidance channels orient and guide axon growth after injury of, 190
neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using cranio-orbito zygomatic approach, 463
Spinal surgery
biomechanical models to guide the selection of surgical approach to the spondylotic cervical spine, 3
biomechanical models to guide the surgical approach in atlantoaxial instability, 3
clinical outcomes following cervical laminoplasty for cervical spondylotic myelopathy, 487
neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
new bone replacement materials for spinal fusion, 4
percutaneous vertebroplasty for thoracolumbar spine bursting fracture, 494
successful management of posttraumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
surgical treatment of syringomyelia associated with idiopathic arachnoid malformation disclosed by preoperative MRI, 552
treatment of multilevel cervical fusion with cages, 378
Spine Task Force of neurosurgery, 482–ed
Spondyloptosis, successful management of posttraumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
Spondylosis
biomechanical models to guide the selection of surgical approach to the spondylotic cervical spine, 3
clinical outcomes following cervical laminoplasty for cervical spondylotic myelopathy, 487
State-Trait Anxiety Inventory, anxiety before and after surgical repair in patients with asymptomatic unruptured intracranial aneurysm, 28
Stenting for symptomatic middle cerebral artery stenosis, 283
Stereolithography, carbon fibre reinforced polymere cranial implants produced by means of, 510
Stereotactic procedures, virtual subdural grid to increase accuracy of epilepsy surgery, 480
Stress
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
Stroke
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
changes in cell proliferation in Sprague-Dawley rats after, 190
early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
Subarachnoid hemorrhage (SAH)
ACE II genotype is risk factor for aneurysmal SAH, 283
aneurysmal, management of poor-grade patients in acute stage, 531
angiographic assessment of cerebral circulation time for outcome prediction in patients with, 115
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
posttraumatic basilar artery vasospasm, 201
transcranial Doppler sonography pulsatility index reflects intracranial pressure, 45
Subdural hematoma
chronic, as complication of endoscopic third ventriculostomy, 64
fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
Subthalamic nucleus, location of the active contact within the subthalamic nucleus in the treatment of idiopathic Parkinson's disease, 216
Surgical Neurology, looking back 10 years and then looking forward, 570–ed
Surgical technique
direct anastomosis for treatment of moyamoya disease, 366

location of the active contact within the subthalamic nucleus in the treatment of idiopathic Parkinson's disease, 216
new epineural nerve repair technique with external metallic circle, 3878
obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using cranio-orbito zygomatic approach, 463
percutaneous CT-guided chemical thoracic sympathectomy for palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
percutaneous vertebroplasty for thoracolumbar spine bursting fracture, 494
possible harmful effects on central nervous system cells in the use of physiological saline as an irrigant during neurosurgical procedures, 96
sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
Sympathectomy, percutaneous CT-guided chemical thoracic sympathectomy for palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
Syringomyelia associated with idiopathic arachnoid malformation disclosed by preoperative MRI, surgical treatment of, 552

T

Tap test, cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 312
Tentorial dural arteriovenous fistula causing spinal cord myelopathy, obliteration using cranio-orbito zygomatic approach, 463
Tethered cord syndrome, neurophysiological monitoring for safe surgical release in adults, 127
Thalamotomy, linear accelerator, 106
Therapeutic drug monitoring, vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Third ventriculostomy, endoscopic
chronic subdural hematoma as complication of, 64
robot assisted, 376
Thoracolumbar spine bursting fracture, percutaneous vertebroplasty for, 494
Three-dimensional anisotropy contrast imaging of gliomatosis cerebri, 151
Thromboembolic disorders
early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction, 420
intravenous abciximab for parent vessel thrombus during basilar apex aneurysm coil embolization, 304
isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis, 76
Transcranial Doppler sonography
posttraumatic basilar artery vasospasm, 201
pulsatility index reflects intracranial pressure, 45
Transethmoidal approach to optic canal, 268
Transsphenoidal surgery, sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Trauma
compound depressed skull fractures involving a venous sinus, 121
nerve guidance channels orient and guide axon growth after spinal cord injury, 190
posttraumatic basilar artery vasospasm, 201
successful management of posttraumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
Trigeminal neuralgia, important factors for good operative outcomes with microvascular decompression, 400
Trigeminal schwannomas, gamma knife radiosurgery for, 435
Tuberculum sellae meningioma, surgical management in a patient with a twin pregnancy, 60

U

Ultrasonography
posttraumatic basilar artery vasospasm, 201
transcranial Doppler sonography pulsatility index reflects intracranial pressure, 45
Umbilical cord blood cells, systemic distribution after lateral ventricle transplantation in mouse model of ALS, 189

V

Vancomycin, therapeutic monitoring in children with hydrocephalus during treatment of shunt infections, 142
Vasculature
angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 115
angiotensin-converting enzyme and angiotensin II in ischemic stroke, 292
anterior communicating artery aneurysm in sella turcica, 69
anxiety before and after surgical repair in patients with asymptomatic unruptured intracranial aneurysm, 28
apoptosis, vascularity, and proliferation in primary central nervous system lymphomas, 393
arteriovenous malformation of scalp, 253
comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal subarachnoid hemorrhage patients and carers, 6
cost-benefit analysis of integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage patients and carers, 17
direct anastomosis for treatment of moyamoya disease, 366
experimental microaneurysms in rats
cotton wrapping vs. microbipolar coagulation, 413
model for induction, 406

fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient, 260
image guidance for aneurysm surgery, 376
intravenous abciximab for parent vessel thrombus during basilar apex aneurysm coil embolization, 304
isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis, 76
ISUIA-II: the need to share more data, 95–ed
management of poor-grade patients with aneurysmal subarachnoid hemorrhage in acute stage, 531
management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 538
medullary streaks in a patient with atherosclerotic internal carotic artery occlusion, 42
persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546
posttraumatic basilar artery vasospasm, 201
rapid cognitive decline following lumbar puncture in patient with dural arteriovenous fistula, 341
recurrence of cerebral arteriovenous malformations in children, 324
ruptured de novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate, 346
stenting for symptomatic middle cerebral artery stenosis, 283
surgical management of unruptured dural arteriovenous fistula of anterior cranial fossa: natural history for 7 years, 72
transcranial Doppler sonography pulsatility index reflects intracranial pressure, 45
treatment of giant fusiform aneurysms of basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
the unruptured intracranial aneurysm study-II: a critique of the second study, 91–ed
Venous sinus
compound depressed skull fractures involving, 121
resection for recurrent aggressive dural based tumors, 522
Vertebral osteomyelitis, diagnosis and management of *Candida* vertebral osteomyelitis: short course therapy of amphotericin B lipid complex, 234
Vertebroplasty, percutaneous, for thoracolumbar spine bursting fracture, 494

AUTHOR INDEX

A

Abbott IR. *See* Kim B-S
Adams HP Jr. Contribution of angiotensin-converting enzyme and angiotensin II to ischemic stroke: their role in the formation of stable and unstable carotid atherosclerotic plaques, 303–com
Adamson DC, Bulsara K, Bronec PR. Spontaneous cervical epidural hematoma: case report and literature review, 156
Ahn JH. *See* Chung JW
Ajayakumar A. *See* Alappatt JP
Akdemir G, Tekdemir I, Altin L. Transethmoidal approach to the optic canal: surgical and radiological microanatomy, 268
Al-Gahtany M. *See* Al-Shraim M
Al-Khayat H. Management of poor-grade patients with aneurysms subarachnoid hemorrhage in the acute state: importance of close monitoring for neurological grade changes, 537–com
Al-Khayat H. Ruptured de Novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate: case report, 352–com
Al-Shraim M, Syro LV, Kovacs K, Estrada H, Uribe H, Al-Gahtany M. Inflammatory pseudotumor of the pituitary: case report, 264
Alappatt JP, Anto D, Ajayakumar A. Falcotentorial plasmacytoma: a case report, 178
Alexander E Jr. The spine task force of neurosurgery, 486–epil
Altin L. *See* Akdemir G
Amanor-Boadu SD. *See* Idowu OE
Andaluz N, Myseros JS, Sathi S, Crone KR, Tew JM Jr. Recurrence of cerebral arteriovenous malformations in children: report of two cases and review of the literature, 324
Andaluz N. Isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis: a case report, 78–com
Angevine PD. Treatment of multilevel cervical fusion with cages, 386–com
Anno Y. *See* Ishikawa E
Anto D. *See* Alappatt JP
Aprile I, Caliandro P, Pazzaglia C, Tonali P, Padua L. Letter to the editor, 572–rc
Araki H. *See* Matsushige T
Aryan HE. *See* Danchaivijitr N
Asakawa H. *See* Yanaka K
Ashby LS. Survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 214–com
Atkinson JLD. Fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient: case report and review of the literature, 263–com
Ausman JI, Myers C, Church D. Seven challenges for neurosurgeons and physicians in the next decade, 192–ed
Ausman JI. "We don't do neuro" or why the cost accounting of healthcare is wrong, 86–ed
Ausman JI. Editor's note, 7
Ausman JI. In this issue, 1–ed, 89–ed, 187–ed, 281–ed, 375–ed, 477–ed
Ausman JI. Looking back 10 years and then looking forward, 570–ed
Ausman JI. The era of credit card medicine, 371–ed
Ausman JI. The unruptured intracranial aneurysm study-II: a critique of the second study, 91–ed
Ausman JI. Why medicine, physicians and neuroscience ventures fall, 468–ed

B

Baeesa SS. *See* Najjar MW
Bafeltowska JJ, Buszman E, Mandat KM, Hawranek JK. Therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 142
Balci M. *See* Kanpolat Y
Banerji D. *See* Krishna H
Behari S. *See* Krishna H
Belber CJ, Graham DL. Multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy: case report and review of the literature, 506
Bellinzona M. *See* Roser F
Bellner J, Romner B, Reinstrup P, Kristiansson K-A, Ryding E, Brandt L. Transcranial Doppler sonography pulsatility index (PI) reflects intracranial pressure (ICP), 45
Bendok BR, Padalino DJ, Levy EI, Qureshi AI, Guterman LR, Hopkins LN. Intravenous abciximab for parent vessel thrombus during basilar apex aneurysm coil embolization: case report and literature review, 304
Benzel EC. Clinical outcomes following cervical laminoplasty for 204 patients with cervical spondylotic myelopathy, 493–com
Beppu T. *See* Inoue T
Beric A. *See* Zonenshayn M
Bonner JT. Letter to editor, 186–rc

br = book review; ed = editorial; en = editor's note; le = letter or reader's comment; com = commentary; cd = case description; rc = resident's corner; epil = epilogue.

© 2004 by Elsevier Inc. All rights reserved.
360 Park Avenue South, New York, NY 10010–1710

0090-3019/04/$–see front matter
doi: 10.1016/S0090-3019(04)00825-0

Borges LF. Idiopathic spinal cord herniation: a new theory of pathogenesis, 170–com
Bose B. Treatment of multilevel cervical fusion with cages, 386–com
Brandt L. *See* Bellner J
Bricolo A. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Bronec PR. *See* Adamson DC
Bruneau M, Duprez T, Rommel D, Raftopoulos C. Surgical treatment of a syringomyelia associated with an idiopathic arachnoid malformation disclosed by preoperative MRI, 552
Bulsara K. *See* Adamson DC
Burchiel KJ. Location of the active contact within the subthalamic nucleus (STN) in the treatment of idiopathic Parkinson's disease, 225–com
Burchiel KJ. Trigeminal neuralgia: what are the important factors for good operative outcomes with microvascular decompression, 405–com
Buster WP, Rodas RA, Fenstermaker RA, Kattner KA. Major venous resection in the surgical treatment of recurrent aggressive dural based tumors, 522
Buszman E. *See* Bafeltowska JJ
Byrd RG. *See* Cone LA

C

Cabatan-Awang C. *See* Frighetto L
Caldito GC. *See* Patwardhan RV
Caliandro P. *See* Aprile I
Cappabianca P, Cavallo LM, Valente V, Romano I, D'Enza AI, Esposito F, de Divitiis E. Sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 227
Carlotti CG Jr. *See* Guerreiro NE
Cavallo LM. *See* Cappabianca P
Chang L, Chen Y-L, Kao M-C. Intracranial metastasis of hepatocellular carcinoma: review of 45 cases, 172
Chen J-F, Lee S-T. Percutaneous vertebroplasty for treatment of thoracolumbar spine bursting fracture, 494
Chen Y-L. *See* Chang L
Chhabra DK. *See* Krishna H
Chhara AK. *See* Krishna H
Chimelli L. *See* Guerreiro NE
Cho D-Y, Lee W-Y, Sheu P-C. Treatment of multilevel cervical fusion with cages, 378
Chuang C-L. *See* Lee K-S
Chung JW, Ahn JH, Kim JH, Nam SY, Kim C-J, Lee K-S. Facial nerve schwannomas: different manifestations and outcomes, 245
Church D. *See* Ausman JI
Clapham L. *See* Pritchard C
Coffey RJ. Attenuation of vascularity by preoperative radiosurgery facilitates total removal of a hypervascular hemangioblastoma at the cerebellopontine angle: case report, 243–com
Cohen AR. Chronic subdural hematoma as a complication of endoscopic third ventriculostomy, 68–com
Cole HO. Compound depressed skull fractures involving a venous sinus, 125–com
Cole HO. Major venous resection in the surgical treatment of recurrent aggressive dural based tumors, 530–com
Colli BO. *See* Guerreiro NE
Cone LA, Byrd RG, Potts BE, Wuesthoff M. Diagnosis and treatment of *Candida* vertebral osteomyelitis: clinical experience with a short course therapy of amphotericin B lipid complex, 234
Cone LA. Spontaneous regression of langerhans cell histiocytosis: a case report, 140–com
Couldwell WT. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Cox M. *See* Pritchard C
Crone KR. *See* Andaluz N

D

D'Enza AI. *See* Cappabianca P
Danchaivijitr N, Hesselink JR, Aryan HE, Herndier B. Cerebello-Pontine angle (CPA) lymphoma with perineural extension into the middle fossa: case report, 80
Davies A. *See* Pritchard C
de Almeida GM. Isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis: a case report, 78–com
de Divitiis E. *See* Cappabianca P
De Salles A. *See* Frighetto L
Debrun G. Obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using the cranio-orbito zygomatic approach, 467–com
Debrun G. Persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 551–com
Debrun G. Rapid cognitive decline following lumbar puncture in a patient with a dural arteriovenous fistula, 345–com
Debrun G. Surgical management of an unruptured dural arteriovenous fistula of the anterior cranial fossa: natural history for 7 years, 75–com
Debrun G. Treatment of giant fusiform aneurysms of the basilar trunk with intraaneurysmal and basilar artery coil embolization, 462–com
Demirci M. *See* Kayikçioğlu A
Diaz FG. Ruptured de Novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate: case report, 352–com
Dickey P. *See* Kailasnath P
Dickey P. Experimental microaneurysms in rats: I. model for induction, 419–com
Dickey P. *Management of Cerebral Aneurysms,* 473–br
Dobben GD. Medullary streaks in a patient with atherosclerotic internal carotid artery occlusion: case report, 44–com
Duprez T. *See* Bruneau M

E

Endo H. *See* Ogasawara K
Erdem S. *See* Kayikçioğlu A
Escott EJ. Readers comment, 279–rc
Esposito F. *See* Cappabianca P
Estrada H. *See* Al-Shraim M

Eyo C. *See* Idowu OE
Ezura M. *See* Hassan T

F
Fager CA. Clinical outcomes following cervical laminoplasty for 204 patients with cervical spondylotic myelopathy, 493–com
Faria MA Jr. Socialized (free) medical care in Cuba part I: a poor state of health!, 183
Faria MA Jr. Socialized medicine in Cuba part II: "Doctor Diplomacy," sex tourism, and medical apartheid, 275
Feder S. Letter to the editor, 471–rc
Fenstermaker RA. *See* Buster WP
Findlay JM. Posttraumatic basilar artery vasospasm, 206–com
Flickinger JC. *See* Nettel B; Sheehan J
Ford J. *See* Frighetto L
Foulkes L. *See* Pritchard C
Friedman WA. Linear accelerator thalamotomy, 113–com
Frighetto L, De Salles A, Wallace R, Ford J, Selch M, Cabatan-Awang C, Solberg T. Linear accelerator thalamotomy, 106
Frösen J. Experimental microaneurysms in rats: I. model for induction, 419–com
Fujimoto, S. *See* Koyanagi I
Fujioka S. *See* Morioka M
Fujita H. *See* Kudo H
Fukuda T. *See* Ogasawara K

G
Gadkary CA. *See* Quiñones-Hinojosa A
Gaviria M. Anxiety before and after surgical repair in patients with asymptomatic unruptured intracranial aneurysm, 31–com
Gobin YP. Obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using the cranio-orbito zygomatic approach, 467–com
Gobin YP. Treatment of giant fusiform aneurysms of the basilar trunk with intraaneurysmal and basilar artery coil embolization, 462–com
Goel A, Muzumdar D. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 332
Goel A. Gamma knife radiosurgery for trigeminal schwannomas, 446–com
Goel A. Letter to the editor, 471–rc
Goodkin R. Readers comment, 278–rc
Graham DL. *See* Belber CJ
Green BA. *See* Wang MY
Guan Y. *See* Li S-T
Guerreiro NE, Colli BO, Carlotti CG Jr, Neder L, Chimelli L. Experimental microaneurysms in rats: I. model for induction, 406
Guerreiro NE, Colli BO, Carlotti CG Jr, Neder L. Experimental microaneurysms in rats: II. comparison between cotton wrapping and microbipolar coagulation, 413
Gulati M. *See* Quiñones-Hinojosa A
Guterman LR. *See* Bendok BR

H
Haase J. Anterior communicating artery aneurysm in the sella turcica: case report, 71–com
Haddad FS. Letter to the editor, 372–rc
Hamada J-i. *See* Morioka M
Han DH. *See* Im S-H
Hanada Y. *See* Kudo H
Hardy RW Jr. Idiopathic spinal cord herniation: a new theory of pathogenesis, 170–com
Hasegawa Y. *See* Morioka M
Hashiguchi A. *See* Morioka M
Hassan T, Ezura M, Takahashi A. Treatment of giant fusiform aneurysms of the basilar trunk with intraaneurysmal and basilar artery coil embolization, 455
Hawranek JK. *See* Bafeltowska JJ
Hayami H. *See* Kudo H
Hayashi T. *See* Uchida K
Hegenbarth U. *See* Renner C
Herndier B. *See* Danchaivijitr N
Hernesniemin J. Experimental microaneurysms in rats: I. model for induction, 419–com
Heros RC. Recurrence of cerebral arteriovenous malformations in children: report of two cases and review of the literature, 331–com
Hersonskey T. *Textbook of Neurointensive Care,* 475–br
Hesselink JR. *See* Danchaivijitr N
Hida K. *See* Koyanagi I
Hier DB. *Motor Neuron Disorders,* 88–br
Hikita T. *See* Huynh-Le P
Hirano N. *See* Kamitani H
Hirokawa E. *See* Huynh-Le P
Holl K. *See* Wurm G
Honey CR. *Brain Edema XII,* 474–br
Hopkins LN. *See* Bendok BR
Houkin K. *See* Koyanagi I
Howng S-L. *See* Kuo TH; Lee K-S
Huang JH, Simon SL, Nagpal S, Nelson PT, Zager EL. Management of patients with schwannomatosis: report of six cases and review of the literature, 353
Huang JH, Zager EL. Letter to the editor, 373–rc
Hunt CD. Compound depressed skull fractures involving a venous sinus, 125–com
Hunt CD. Spontaneous cervical epidural hematoma: case report and literature review, 159–com
Hurst RW. *See* Rastogi S
Huynh-Le P, Matsushima T, Muratani H, Hikita T, Hirokawa E. Persistent primitive hypoglossal artery associated with proximal posterior inferior cerebellar artery aneurysm, 546
Hwang S-L. *See* Kuo TH; Lee K-S

I
Idowu OE, Shokunbi MT, Amanor-Boadu SD, Roberts OA, Eyo C. Surgical management of tuberculum sellae meningioma in a patient with a twin pregnancy: case report, 60
Im S-H, Oh CW, Han DH. Surgical management of an unruptured dural arteriovenous fistula of the anterior cranial fossa: natural history for 7 years, 72
Imamura H. *See* Koyanagi I
Inoue T. *See* Mikami C; Ogasawara K

Inoue T, Ogasawara K, Beppu T, Ogawa A. Three-dimensional anisotropy contrast imaging of gliomatosis cerebri: two case reports, 151
Ishii K. Experimental microaneurysms in rats: I. model for induction, 419–com
Ishikawa E, Matsumura A, Matsumuru Y, Anno I. Readers comment, 278–rc
Islak C, Kantarci F. Letter to the editor, 470–rc
Iwakoshi T. *See* Kondo T
Iwasaki Y. *See* Koyanagi I

J
Jääkeläinen J. Experimental microaneurysms in rats: I. model for induction, 419–com
Jain VK. *See* Krishna H
Jallo GI. *See* Kim B-S
Jannetta PJ. Cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 318–com

K
Kagawa K. *See* Matsushige T
Kai Y. *See* Morioka M
Kailasnath P, Dickey P. ISUIA-II: The need to share more data, 95–ed
Kalfas IH. Percutaneous vertebroplasty for treatment of thoracolumbar spine bursting fracture, 500–com
Kamitani H, Hirano N, Takigawa H, Yokota M, Miyata H, Ohama E, Watanabe T. Attenuation of vascularity by preoperative radiosurgery facilitates total removal of a hypervascular hemangioblastoma at the cerebello-pontine angle: case report, 238
Kanpolat Y, Ulku D, Balci M. Is there a common conscience of humanity? Should there be one?, 5–ed
Kantarci F. *See* Islak C
Kao M-C. *See* Chang L
Kao M-C. Percutaneous CT-guided chemical thoracic sympathectomy for patients with Palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 505–com
Karamürsel S. *See* Kayikçioğlu A
Kattner KA. *See* Buster WP
Kawase T. *See* Uchida K
Kayikçioğlu A, Karamürsel S, Demirci M, Erdem S, Keçik A. A new epineural nerve repair technique with external metallic circle, 387
Keçik A. *See* Kayikçioğlu A
Kelly DL. The spine task force of neurosurgery, 482–ed
Kelly PJ. *See* Zonenshayn M
Kida Y. *See* Kondo T
Kim B-S, Jallo GI, Kothbauer K, Abbott IR. Chronic subdural hematoma as a complication of endoscopic third ventriculostomy, 64
Kim C-J. *See* Chung JW
Kim JH. *See* Chung JW
Kiya K. *See* Matsushige T
Kline DG. Management of patients with schwannomatosis: report of six cases and review of the literature, 361–com
Kobayashi M. *See* Ogasawara K
Kobayashi S. *See* Murai Y
Kobayashi T. *See* Kondo T
Kodama N. *See* Sasaki T
Kodama N. Angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 120–com
Koebbe CJ. *See* Nettel B
Koebel A. *See* Tatagiba M
Kohmura E. *See* Kudo H
Kondo T, Mori Y, Kida Y, Kobayashi T, Iwakoshi T. Isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis: a case report, 76
Kondoh T. *See* Kudo H
Kondziolka D. *See* Nettel B; Sheehan J
Kothbauer K. *See* Kim B-S
Kovacs K. *See* Al-Shraim M
Koyama A. *See* Yanaka K
Koyanagi I, Imamura H, Fujimoto S, Hida K, Iwasaki Y, Houkin K. Spinal canal size in ossification of the posterior longitudinal ligament of the cervical spine, 286
Krishna H, Behari S, Pal L, Chhabra AK, Banerji D, Chhabra DK, Jain VK. Solitary Langerhans-cell histiocytosis of the clivus and sphenoid sinus with parasellar and petrous extensions: case report and a review of literature, 447
Kriss TC. Opting out of medicine, 180–ed
Kristiansson K-A. *See* Bellner J
Kubo Y. *See* Otawara Y
Kudo H, Fujita H, Hanada Y, Hayami H, Kondoh T, Kohmura E. Cytological and bacteriological studies of intraoperative autologous blood in neurosurgery, 195
Kuo TH, Lee KS, Lieu AS, Lin CL, Liu GC, Howng SL, Hwang SL. Massive intracerebral air embolism associated with meningitis and lumbar spondylitis: case report, 362
Kurisu K. *See* Yamaguchi S

L
Lang DA. *See* Pritchard C
Laws ER. Sellar repair with fibrin sealant and collagen fleece after endoscopic endonasal transsphenoidal surgery, 233–com
Laws ER. The expanding role of neurosurgeons in the management of brain metastases, 41–com
Lee K-S. *See* Chung JW
Lee K-S, Chuang C-L, Lin C-L, Tsai L-C, Hwang S-L, Howng S-L. Percutaneous CT-guided chemical thoracic sympathectomy for patients with Palmar hyperhidrosis after transthoracic endoscopic sympathectomy, 501
Lee KS. *See* Kuo TH
Lee S-T. *See* Chen J-F
Lee W-Y. *See* Cho D-Y
LeFeuvre D, Taylor A, Peter JC. Compound depressed skull fractures involving a venous sinus, 121
Levy EI. *See* Bendok BR
Li S-T, Pan Q, Liu N, Shen F, Liu Z, Guan Y. Trigeminal neuralgia: what are the important factors for good operative outcomes with microvascular decompression, 400
Liau LM. Apoptosis, vascularity, and proliferation in primary central nervous system lymphomas (PCNSL): a histopathological study, 399–com

Liebeskind DS. *See* Rastogi S
Lieu AS. *See* Kuo TH
Lillehei KO. Cytological and bacteriological studies of intraoperative autologous blood in neurosurgery, 199–com
Lin C-L. *See* Lee K-S
Lin CL. *See* Kuo TH
Lindquist C. Gamma knife radiosurgery for trigeminal schwannomas, 446–com
Lingawi SS. *See* Najjar MW
Liu GC. *See* Kuo TH
Liu N. *See* Li S-T
Liu Z. *See* Li S-T
Loftus C. Intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging: case report, 323–com
Lüdemann W. Facial nerve schwannomas: different manifestations and outcomes, 252–com
Lunsford LD. *See* Nettel B; Sheehan J
Lunsford LD. Attenuation of vascularity by preoperative radiosurgery facilitates total removal of a hypervascular hemangioblastoma at the cerebellopontine angle: case report, 243–com
Lunsford LD. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Lunsford LD. Linear accelerator thalamotomy, 113–com
Lyon R. *See* Quiñones-Hinojosa A

M

Maeda M. *See* Mori K
Mafee MF. Three-dimensional anisotropy contrast imaging of gliomatosis cerebri: two case reports, 154–com
Maiman DJ. *Modern Anterior Scoliosis Surgery,* 474–br
Maiman DJ. Spinal canal size in ossification of the posterior longitudinal ligament of the cervical spine, 291–com
Mandat KM. *See* Bafeltowska JJ
Maroon JC. Transethmoidal approach to the optic canal: surgical and radiological microanatomy, 274–com
Martin JJ. *See* Nettel B
Matsubara S. *See* Nakajima N
Matsumaru Y. *See* Yanaka K
Matsumoto M. *See* Sasaki T
Matsumura A. *See* Ishikawa E
Matsumuru Y. *See* Ishikawa E
Matsushige T, Kiya K, Satoh H, Mizoue T, Kagawa K, Araki H. Arteriovenous malformation of the scalp: case report and review of the literature, 253
Matsushima T. *See* Huynh-Le P
Mayanagi Y. *See* Shojima M
McCormick PC. Treatment of multilevel cervical fusion with cages, 386–com
Meixensberger J. *See* Renner C
Meliss R. *See* Roser F
Meyer FB. Intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging: case report, 323–com
Meyer FB. Management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 545–com
Mikami C, Inoue T, Ogasawara K, Ogawa A. Medullary streaks in a patient with atherosclerotic internal carotid artery occlusion: case report, 42
Milhorat TH. Possible harmful effects on central nervous system cells in the use of physiological saline as an irrigant during neurosurgical procedures, 105–com
Mine Y. *See* Uchida K
Misra M. *Manual of Basic Neuropathology (Fourth Edition),* 280–br
Miura M. *See* Morioka M
Miyata H. *See* Kamitani H
Mizoue T. *See* Matsushige T
Mizunari T. *See* Murai Y
Morgan H. Readers comment, 278–rc
Mori K, Nakao Y, Yamamoto T, Maeda M. Early external decompressive craniectomy with duraplasty improves functional recovery in patients with massive hemispheric embolic infarction: timing and indication of decompressive surgery for malignant cerebral infarction, 420
Mori Y. *See* Kondo T
Morioka M, Hamada J-i, Hashiguchii A, Hasegawa Y, Todaka T, Yano S, Kai Y, Miura M, Fujioka S, Ushio Y. Contribution of angiotensin-converting enzyme and angiotensin II to ischemic stroke: their role in the formation of stable and unstable carotid atherosclerotic plaques, 292
Murai Y, Kobayashi S, Mizunari T, Teramoto A. Anterior communicating artery aneurysm in the sella turcica: case report, 69
Muratani H. *See* Huynh-Le P
Muzumdar D. *See* Goel A
Myers C. *See* Ausman JI
Myseros JS. *See* Andaluz N

N

Nagahiro S. *See* Nakajima N
Nagase S. *See* Yanaka K
Nagpal S. *See* Huang JH
Najjar MW, Baeesa SS, Lingawi SS. Idiopathic spinal cord herniation: a new theory of pathogenesis, 161
Nakajima N, Nagahiro S, Matsubara S, Satoh K. Ruptured de Novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate: case report, 346
Nakao Y. *See* Mori K
Nam SY. *See* Chung JW
Nanda A. *See* Patwardhan RV
Neder L. *See* Guerreiro NE
Neil-Dwyer G. *See* Pritchard C
Nelson PT. *See* Huang JH
Nettel B, Niranjan A, Martin JJ, Koebbe CJ, Kondziolka D, Flickinger JC, Lunsford LD. Gamma knife radiosurgery for trigeminal schwannomas, 435
Niranjan A. *See* Nettel B; Sheehan J
Nockels RP. *See* Pannu Y
Nose T. *See* Yanaka K

O

Ogasawara K. *See* Inoue T; Mikami C; Otawara Y

Ogasawara K, Inoue T, Kobayashi M, Endo H, Fukuda T, Ogawa A. Intracerebral hemorrhage after carotid endarterectomy associated with asymptomatic perioperative cerebral ischemia detected by cerebral perfusion imaging: case report, 319
Ogawa A. *See* Inoue T; Mikami C; Ogasawara K; Otawara Y
Ogilvy CS. Early external decompressive craniectomy with duroplasty improves functional recovery in patients with massive hemispheric embolic infarction: timing and indication of decompressive surgery for malignant cerebral infarction, 430–com
Oh CW. *See* Im S-H
Ohama E. *See* Kamitani H
Oinuma M. *See* Sasaki T
Oki S. *See* Yamaguchi S
Orient JM. Down with "health plans"!, 369–ed
Origtano TC. *See* Pannu Y
Oró JJ. Surgical treatment of a syringomyelia associated with an idiopathic arachnoid malformation disclosed by preoperative MRI, 555–com
Ostertag H. *See* Roser F
Otawara Y, Ogasawara K, Kubo Y, Tomitsuka N, Watanabe M, Ogawa A, Suzuki M, Yamadate K. Anxiety before and after surgical repair in patients with asymptomatic unruptured intracranial aneurysm, 28
Oyelese AA. Contribution of angiotensin-converting enzyme and angiotensin II to ischemic stroke: their role in the formation of stable and unstable carotid atherosclerotic plaques, 303–com

P

Padalino DJ. *See* Bendok BR
Padha V. The lives we touch, 285–ed
Padua L. *See* Aprile I
Pal L. *See* Krishna H
Pan Q. *See* Li S-T
Pannu Y, Shownkeen H, Nockels RP, Origitano TC. Obliteration of a tentorial dural arteriovenous fistula causing spinal cord myelopathy using the cranio-orbito zygomatic approach, 463
Patwardhan RV, Shorter C, Willis BK, Reddy P, Smith D, Caldito GC, Nanda A. Survival trends in elderly patients with glioblastoma multiforme: resective surgery, radiation, and chemotherapy, 207
Pawl R. *Lumbar Interbody Fusion Techniques: Cages Dowels and Grafts*, 474–br
Pazzaglia C. *See* Aprile I
Pearce JE. Compound depressed skull fractures involving a venous sinus, 126–com
Pendl G. Lipomas of the pineal region, 58–com
Peter JE. *See* LeFeuvre D
Pitskhelauri DI. *See* Spallone A
Portnoy HD. Rapid cognitive decline following lumbar puncture in a patient with a dural arteriovenous fistula, 345–com
Portnoy HD. Treatment of multilevel cervical fusion with cages, 386–com
Potts BE. *See* Cone LA
Pritchard C, Cox M, Foulkes L, Lang DA, Neil-Dwyer G. Cost-benefit analysis of an integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage (ASAH) patients and carers, 17
Pritchard C, Davies A, Clapham L, Lang DA, Neil-Dwyer G. Comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal sub arachnoid hemorrhage patients and carers, 7

Q

Quiñones-Hinojosa A, Gadkary CA, Gulati M, von Koch CS, Lyon R, Weinstein PR, Yingling CD. Neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 127
Qureshi AI. *See* Bendok BR

R

Raftopoulos C. *See* Bruneau M
Rajshekhar V. *See* Shah KC
Rak R. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Rastogi S, Liebeskind DS, Zager EL, Volpe NJ, Weigele JB, Hurst RW. Rapid cognitive decline following lumbar puncture in a patient with a dural arteriovenous fistula, 341
Reddy P. *See* Patwardhan RV
Reinstrup P. *See* Bellner J
Renner C, Hegenbarth U, Schneider JP, Meixensberger J. Fatal bihemispheric intracerebral hemorrhage after burrhole evacuation of chronic subdural hematoma in a bone marrow-transplanted patient: case report and review of the literature, 260
Rezai AR. *See* Zonenshayn M
Roberts OA. *See* Idowu OE
Rockswold GL. Transcranial Doppler sonography pulsatility index (PI) reflects intracranial pressure (ICP), 51–com
Rodas RA. *See* Buster WP
Roitberg B. A new epineural nerve repair technique with external metallic circle, 392–com
Roitberg B. Letter to the editor, 472–rc
Roitberg B. Research news and notes, 3–ed, 189–ed, 283–ed, 376–ed, 480–ed
Romano I. *See* Cappabianca P
Rommel D. *See* Bruneau M
Romner B. *See* Bellner J
Roser F, Saini M, Meliss R, Ostertag H, Samii M, Bellinzona M. Apoptosis, vascularity, and proliferation in primary central nervous system lymphomas (PCNSL): a histopathological study, 393
Ryding E. *See* Bellner J

S

Saini M. *See* Roser F
Sakuma J. *See* Sasaki T
Samii M. *See* Roser F
Samii M. Facial nerve schwannomas: different manifestations and outcomes, 252–com

Samson D. Management of poor-grade patients with aneurysms subarachnoid hemorrhage in the acute state: importance of close monitoring for neurological grade changes, 537–com
Samson DS. Isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis: a case report, 78–com
Samson DS. Ruptured de Novo thrombotic giant aneurysm induced by ethyl 2-cyanoacrylate: case report, 352–com
Sanada T. *See* Yoshimoto Y
Sasaki T, Sato M, Oinuma M, Sakuma J, Suzuki K, Matsumoto M, Kodama N. Management of poor-grade patients with aneurysms subarachnoid hemorrhage in the acute state: importance of close monitoring for neurological grade changes, 531
Sathi S. *See* Andaluz N
Sato M. *See* Sasaki T
Satoh H. *See* Matsushige T
Satoh K. *See* Nakajima N
Schneider JP. *See* Renner C
Sekhar LN. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Selch M. *See* Frighetto L
Selker RG. Multiple myeloma-associated solitary epidural amyloidoma of C2-C3 without bony connection or myelopathy: case report and review of the literature, 509–com
Shah KC, Rajshekhar V. Successful Management of post-traumatic C7-T1 spondyloptosis with uninstrumented ventral surgery, 431
Shah S. *See* Wang MY
Sheehan J, Niranjan A, Flickinger JC, Kondziolka D, Lunsford LD. The expanding role of neurosurgeons in the management of brain metastases, 32
Shen F. *See* Li S-T
Sheu P-C. *See* Cho D-Y
Shik V. *See* Soustiel JF
Shojima M, Watanabe E, Mayanagi Y. Cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 312
Shokunbi MT. *See* Idowu OE
Shorter C. *See* Patwardhan RV
Shownkeen H. *See* Pannu Y
Simon SL. *See* Huang JH
Sindou M. Trigeminal neuralgia: what are the important factors for good operative outcomes with microvascular decompression, 405–com
Slavin KV. *Functional Neuroanatomy: An Interactive Text and Manual*, 374–br
Smith D. *See* Patwardhan RV
Solberg T. *See* Frighetto L
Solomon RA. Management of poor-grade patients with aneurysms subarachnoid hemorrhage in the acute state: importance of close monitoring for neurological grade changes, 537–com
Sotelo J. Diagnosis and treatment of *Candida* vertebral osteomyelitis: clinical experience with a short course therapy of amphotericin B lipid complex, 237–com
Sotelo J. Massive intracerebral air embolism associated with meningitis and lumbar spondylitis: case report, 365–com
Sotelo J. Therapeutic vancomycin monitoring in children with hydrocephalus during treatment of shunt infections, 150–com
Soustiel JF, Shik V. Posttraumatic basilar artery vasospasm, 201
Spallone A, Pitskhelauri DI. Lipomas of the pineal region, 52
Steinberg GK. Contribution of angiotensin-converting enzyme and angiotensin II to ischemic stroke: their role in the formation of stable and unstable carotid atherosclerotic plaques, 303–com
Sterio D. *See* Zonenshayn M
Stimac D. Conventional posterior fossa approach for surgery on petroclival meningiomas: a report on an experience with 28 cases, 340–com
Suzuki K. *See* Sasaki T
Suzuki M. *See* Otawara Y
Syro LV. *See* Al-Shraim M

T

Takahashi A. *See* Hassan T
Takigawa H. *See* Kamitani H
Tanaka Y. *See* Yoshimoto Y
Tasker RR. Location of the active contact within the subthalamic nucleus (STN) in the treatment of idiopathic Parkinson's disease, 225–com
Tatagiba M, Koebel A. Letter to the editor, 372–rc
Taylor A. *See* LeFeuvre D
Tekdemir I. *See* Akdemir G
Teramoto A. *See* Murai Y
Tew JM Jr. *See* Andaluz N
Tew JM Jr. Isolated cerebral varix developing sudden deterioration of neurological status because of thrombosis: a case report, 78–com
Todaka T. *See* Morioka M
Tomancok B. *See* Wurm G
Tomitsuka N. *See* Otawara Y
Tonali P. *See* Aprile I
Touho H. A simple surgical technique of direct anastomosis for treatment of Moyamoya disease: technical note, 366
Trenkler J. *See* Wurm G
Tsai L-C. *See* Lee K-S

U

Uchida K, Yamada M, Hayashi T, mine Y, Kawase T. Possible harmful effects on central nervous system cells in the use of physiological saline as an irrigant during neurosurgical procedures, 96
Ulku D. *See* Kanpolat Y
Uribe H. *See* Al-Shraim M
Ushio Y. *See* Morioka M

V

Valente V. *See* Cappabianca P
VanGilder JC. Inflammatory pseudotumor of the pituitary: case report, 267–com
Volpe NJ. *See* Rastogi S
von Koch CS. *See* Quiñones-Hinojosa A

W

Wallace R. *See* Frighetto L
Wang MY, Shah S, Green BA. Clinical outcomes following cervical laminoplasty for 204 patients with cervical spondylotic myelopathy, 487
Watanabe E. *See* Shojima M
Watanabe M. *See* Otawara Y
Watanabe T. *See* Kamitani H
Weigele JB. *See* Rastogi S
Weinstein PR. *See* Quiñones-Hinojosa A
Willis BK. *See* Patwardhan RV
Wuesthoff M. *See* Cone LA
Wurm G, Tomancok B, Holl K, Trenkler J. Prospective study on cranioplasty with individual carbon fibre reinforced polymer (CFRP) implants produced by means of stereolithography, 510

Y

Yamada M. *See* Uchida K
Yamada S. Neurophysiological monitoring for safe surgical tethered cord syndrome release in adults, 133–com
Yamadate K. *See* Otawara Y
Yamaguchi S, Oki S, Kurisu K. Spontaneous regression of Langerhans cell histiocytosis: a case report, 136
Yamamoto T. *See* Mori K
Yanaka K, Nagase S, Asakawa H, Matsumaru Y, Koyama A, Nose T. Management of unruptured cerebral aneurysms in patients with polycystic kidney disease, 538
Yano S. *See* Morioka M
Yi HJ. Letter to the editor, 572–rc
Yingling CD. *See* Quiñones-Hinojosa A
Yokota M. *See* Kamitani H
Yonas H. Cerebral blood oxygenation after cerebrospinal fluid removal in hydrocephalus measured by near infrared spectroscopy, 318–com
Yoon SM. Letter to the editor, 470–rc
Yoshimoto Y, Tanaka Y, Sanada T. Angiographic assessment of cerebral circulation time for outcome prediction in patients with subarachnoid hemorrhage, 115
Young RF. The expanding role of neurosurgeons in the management of brain metastases, 40–com

Z

Zager EL. *See* Huang JH; Rastogi S
Zonenshayn M, Sterio D, Kelly PJ, Rezai AR, Beric A. Location of the active contact within the subthalamic nucleus (STN) in the treatment of idiopathic Parkinson's disease, 216